DDA 81-1497/5

	· · · · · · · · · · · · · · · · · · ·	•		
MEMORANDUM FOR:	Acting Director of Central Int	elligence		
FROM:	Harry E. Fitzwater Deputy Director for Administra	tion		٠
SUBJECT:	Current Directorate of Adminis	tration Activities		
without power for power outage. Thintermeted Po	ncy's major relay facility r nearly three hours on 12 Augu he outage was required in order wer System which had failed the e routing scenarios were invoke	to make repairs to the previous week. During	e g the	25X1
delays in the de	livery of high precedence cable	A9c4.1	5,122,000.0	25X1
				25X1
under a CIA cont	stration of the CAMSTACK color ract for COMIREX Automated Manageral Poindexter.	graphics software, devagement System (CAMS),	eloped was	25X1
the Agency a wai equipment acquis unclassified for	ional Archives and Records Server from current NARS standard ition. In return, the Agency m, some of the experiences of ated evaluation procedures.	s for justifying word p agreed to share with NA	rocessing RS, in	25X1
that sequential been approved.	tate and Construction Division funding for the expansion of B In addition, the move of supportract will be awarded in appro-	uilding in FY 82 and in the ground	id FY 83 has	l \$25×1
6. Final c to GSA on 17 Aug occupancy in Nov	rawings for the Map Library sp just 1981; current planning is ember 1981.	for the space to be rea	ere delivere	25X1 25X1
met with members need for identifi analyze known de	of the Information Systems Se of the Office of Research and Tying security vulnerabilities eficiencies and to develop secu- and Agency systems linked to e	Development, DDS&T, to associated with ADP net rity policies relative	o discuss t tworks; to	
 2 HOR.	MORI/CDA AT			

Approved For Release 2006/11/21: CIA-RDP84B00890R000400060032-5

8. 🗀	have been cleared and are	25X1
ready to be	egin their study of the Agency's psychological activities. (U)	
		25X1
	Harry E. Fitzwater	•

(21 Aug 81) EO/DDA

25X1

Distribution: Original - Addressee

- 1 DCI 1 ER
- 2 DDA
- 1 Each DDA OD
- 1 SSA/DDA
- 1 IHSA
- 1 CMO
- 1 MS
- 1 DDA/EEO
- 1 EO/DDA
- 1 HEF
- 1 HEF Chrono